

## KS SAFES



# High Security Steel Door Safe

**\$100000 cash rating, 60 minutes fire resistant**



### SECURITY FEATURES

- Commercial UL digital lock and keypad
- 6-lever pick resistant key lock
- Anti-tamper re-locking devices on both locks
- Hardened anti-drill plates surrounding both locks
- Concrete filled body
- External hinges with reinforced internal anti-pry bolts
- Solid steel 12mm door
- Solid steel 32mm bolt-work
- 60 minutes fire resistant
- Suggested \$100000 cash rating
- Durable hardened paint finish
- Adjustable Shelving
- Pre-drilled anchoring holes, 2 x 17mm diameter

The Multifile KS series of safes meet both IATA Travel and Australian Pharmacy Guild specifications for the secure storage of documents and medication. The Multifile KS series of safes are designed and manufactured to give a high level of resistance against professional attack.

### PRODUCT SPECIFICATIONS

Model	EXTERNAL (MM)			INTERNAL (MM)			Weight (kg)	Volume (litres)	Shelves (adj)	Fire Rating (mins)	Cash Rating \$
	Height	Width	Depth	Height	Width	Depth					
KS1	630	580	500	500	425	325	510	69	2	60	100000
KS2	750	580	500	620	425	325	535	86	3	60	100000
KS3	750	630	575	620	480	415	560	109	3	60	100000
KS4	1100	670	670	970	510	510	600	252	3	60	100000
KS7	1400	670	670	1270	510	510	800	330	5	60	100000

DEPTH MEASUREMENT DOES NOT INCLUDE THE HANDLE, KEYPAD OR HINGES. PLEASE ALLOW 50MM.  
Due to Multifile constantly striving to deliver better products; sizes and colours may vary slightly.



### KS1

High quality digital UL lock  
6 – lever pick resistant lock  
12mm solid plate steel door  
32mm boltwork  
12mm heat treated hard plate protecting lockwork  
Secondary re-locking device in case of tampering  
2 x Adjustable shelving  
Bolt down facility  
Fire resistant for 1 hour  
Sturdy hammertone polyurethane exterior finish

**Dimensions:** EXT: 630H X 580W X 500D  
INT: 500H X 425W X 325D  
Weight: 510KG



### KS2

High quality digital UL lock  
6 – lever pick resistant lock  
12mm solid plate steel door  
32mm boltwork  
12mm heat treated hard plate protecting lockwork  
Secondary re-locking device in case of tampering  
3 x Adjustable shelving  
Bolt down facility  
Fire resistant for 1 hour  
Sturdy hammertone polyurethane exterior finish

**Dimensions:** EXT: 750H X 580W X 500D  
INT: 620H X 425W X 325D  
Weight: 535KG



### KS3

High quality digital UL lock  
6 – lever pick resistant lock  
12mm solid plate steel door  
32mm boltwork  
12mm heat treated hard plate protecting lockwork  
Secondary re-locking device in case of tampering  
3 x Adjustable shelving  
Bolt down facility  
Fire resistant for 1 hour  
Sturdy hammertone polyurethane exterior finish

**Dimensions:** EXT: 750H X 630W X 575D  
INT: 620H X 480W X 415D  
Weight: 560KG



### KS4

High quality digital UL lock  
6 - lever pick resistant lock  
12mm solid plate steel door  
32mm boltwork  
12mm heat treated hard plate protecting lockwork  
Secondary re-locking device in case of tampering  
5 x Adjustable shelving  
Bolt down facility  
Fire resistant for 1 hour  
Sturdy hammertone polyurethane exterior finish

**Dimensions:** EXT: 1100H X 670W X 670D  
INT: 970H X 510W X 510D  
Weight: 600KG



### KS7

High quality digital UL lock  
6 - lever pick resistant lock  
12mm solid plate steel door  
32mm boltwork  
12mm heat treated hard plate protecting lockwork  
Secondary re-locking device in case of tampering  
3 x Adjustable shelving  
Bolt down facility  
Fire resistant for 1 hour  
Sturdy hammertone polyurethane exterior finish

**Dimensions:** EXT: 1400H X 670W X 670D  
INT: 1270H X 510W X 510D  
Weight: 800KG

Recommended insurable cash rating in an unsupported situation \$100000.00

Also available are different locking configurations, including: time delay, dual users, key and electronic combination, single and dual key locks.